(ID 0) ★7

治療計画書

S-1+パクリタキセル(1週毎) 療法名___

療法

1サイクル 3週

目がん 疾患名

_ KB名																													
注射																													
内服		商品名	用量(/凹)	投与ルート 投与時 用法	fiej 1			┥.			2							3						4					7 28
	4			用法	1	1 2	3	4 :	5 6	5 7	8	9	10	11	12 1	3 1	4 1	5 1	6 17	18	19	20	21	22	23 2	24 2	25 2	6 2	7 28
放射線		照射部位	照射量	F.** 00/				_			Н		_		4	_	-	_		L		_		4		_	-		Н
注射		ファモチジン	20 mg	点滴 30分	ĵ`																								4 1
	1	デキサート 生理食塩液	9.9 mg								•																		4 1
	-	生理食塩液	100 ml								_																		4 1
																													4 1
		パクリタキセル	80 mg/ m ²	点滴 1時間	間																								П
注		生理食塩液	250 ml																										4 1
注射	2										•																		4 1
																													4 1
		生理食塩液	50 ml	点滴 15分	4						H		_					t		+		\dashv		_				t	+
注		工程及温水	00 1111	7((7)E) 107.	_																								4 1
注射	3																												4 1
ניל																													4 1
								+	+		Н		-		+	+	+	+		₩		-		+	+	+	+	+	+
注射	4																												
射			1																										
注射	5																												
射	ľ																												4 1
																		T											П
注射																													
計	6																												4 1
711																													4 1
								+	+		Н		\dashv		+			+	+	┢	H	\dashv		\dashv	+	+	+	t	+
:+																													4 1
注射	7																												4 1
别																													4 1
																				_									44
注射	8																												4 1
射	ľ																												4 1
																													4
注射																													4 1
射	9																												4 1
																													4 1
											Н		T		+	t	T	t		\vdash	H	7	7	_				t	\vdash
注																													
注射	10																												4 1
73																													
内服	-	TS-1	※ 80 mg/m ²	 1日2回朝夕食後				•										+		\vdash		\dashv		\dashv		+	+	H	\forall
内服		レスタミン	50 mg	パクリタキセルの30分前を							•							+		\vdash		\dashv		\dashv		+		+	+
		レヘメミン	ou mg	ハノソライビルの30万削を	ن ٠			+	+		-		-		+	+	+	+		\vdash	H	-		\dashv		-	-	+	\varTheta
内服			1			-		-	+	+	H		4		+	+	+	+		\vdash	Н	\dashv	4	\dashv	4	+	+	+	+
内服			-						+		H		_		4	+	+	+		L		_		4	4	+	+	+	$\boldsymbol{+}$
内服									_		lacksquare		_		4	+	1	1		_		_		4	4	4	4	1	Ш
内服											Ш		_		4	1					Ш			_					Ш
内服											Ш																		Ш
内服																													
内服											L^{T}		Ţ							L		_1		_]		_[17
内服	10																												П
放射線			Gy																		П			T				T	П
	<u> </u>	ı		特記事	項						1									_								-	ᅥ
ΧĦ	※詳細は添付文書参照																												

薬品名	TS-1(1.25㎡未満)	TS-1(1.25㎡以上1.50㎡未満)	TS-1(1.50㎡以上)									
標準投与量	80 mg/day	100 mg/day	120 mg/day									
1段階減量		80 mg/day	100 mg/day									
2段階減量			80 mg/day									
3段階減量												