

# 治療計画書

療法名

LSG15(VCAP)

療法

1サイクル 週

疾患名 成人T細胞白血病・リンパ腫(※6サイクル)

注射 内服 放射線	Rp	商品名	用量(/回)	投与ルート	投与時間																												
			用量(/日)	用法	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
		照射部位	照射量																														
注射	1	生理食塩液	200 ml	点滴(側管)	キープ	●																											
注射	2	グラニセトロン	3 mg	点滴(側管)	30分	●																											
注射	3	ドキシソルビシン	40 mg/m <sup>2</sup>	点滴(側管)	30分	●																											
		生理食塩液	100 ml																														
注射	4	オンコビン	※1 mg/m <sup>2</sup>	点滴(側管)	30分	●																											
		生理食塩液	100 ml																														
			※最大2mg																														
注射	5	エンドキサン	350 mg/m <sup>2</sup>	点滴(側管)	2時間	●																											
		生理食塩液	500 ml																														
注射	6	フィルグラステム	50 μg/m <sup>2</sup>	皮下注		●	●	●	●	●																							
注射	7																																
注射	8																																
注射	9																																
注射	10																																
内服	1	プレドニゾン	40 mg/m <sup>2</sup>	1日1(-2)回朝(昼)食後		●																											
内服	2																																
内服	3																																
内服	4																																
内服	5																																
内服	6																																
内服	7																																
内服	8																																
内服	9																																
内服	10																																
放射線			Gy																														
特記事項						※LSG15(VCAP)→LSG15(AMP)→LSG15(VECP)を繰り返し6サイクル試行																											
減量規定																																	
薬品名																																	
標準投与量																																	
1段階減量																																	
2段階減量																																	
3段階減量																																	