

治療計画書

療法名

パージェタ+ハーセプチン

療法

1サイクル 3 週

疾患名 **がん化学療法後に増悪したHER2陽性の治癒切除不能な進行・再発の結腸・直腸癌**

注射 内服 放射線	Rp	商品名	用量(回)	投与ルート	投与時間																														
			用量(日)	用法				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
		照射部位	照射量																																
注射	1	生理食塩液	50 ml	点滴	15分																														
							●																												
注射	2	パージェタ<<初回>>	840 mg	点滴	1時間																														
		生理食塩液	250 ml																																
		パージェタ<<2回目以降>>	420 mg	点滴	※30分可																														
		生理食塩液	250 ml																																
注射	3	生理食塩液	100 ml	点滴	※1時間																														
							●																												
注射	4	ハーセプチン<<初回>>	8 mg/kg	点滴	1時間30分																														
		生理食塩液	250 ml	注射用水で溶解																															
		ハーセプチン<<2回目以降>>	6 mg/kg	点滴	※30分可																														
		生理食塩液	250 ml	注射用水で溶解																															
注射	5	生理食塩液	100 ml	点滴	※1時間																														
							●																												
注射	6																																		
注射	7																																		
注射	8																																		
注射	9																																		
注射	10																																		
内服	1																																		
内服	2																																		
内服	3																																		
内服	4																																		
内服	5																																		
内服	6																																		
内服	7																																		
内服	8																																		
内服	9																																		
内服	10																																		
放射線			Gy																																

特記事項

※初回投与の忍容性が良好であれば、2回目以降は30分まで短縮可。

減量規定

薬品名	標準投与量	1段階減量	2段階減量	3段階減量