

治療計画書

療法名

G-B(ベンダムスチン)(1サイクル目)

療法

1サイクル 4 週

疾患名 CD20陽性の濾胞性リンパ腫(6サイクル)

注射 内服 放射線	Rp	商品名	用量(/回)	投与ルート	投与時間																											
			用量(/日)	用法	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	
		照射部位	照射量																													
注射	1	生理食塩液	200 ml	点滴	キープ																											
						●	●	●																								
注射	2	プレドニン	100 mg	点滴(側管)	30分																											
		生理食塩液	50 ml			●																										
注射	3	生理食塩液	50 ml	点滴(側管)	30分																											
						●																										
注射	4	ガザイバ	1000 mg/body	点滴(側管)	フローシートに従う																											
		生理食塩液	210 ml	全量250mlに調製		●																										
注射	5	生理食塩液	50 ml	点滴(側管)	ルートフラッシュ																											
						●																										
注射	6	グラニセトロン	3 mg	点滴(側管)	30分																											
		デキサート	6.6 mg			●	●																									
注射	7	トレアキシシ	90 mg/m ²	点滴(側管)	10分																											
		生理食塩液	50 ml			●	●																									
注射	8																															
注射	9																															
注射	10																															
内服	1	クロルフェニラミン	6 mg	ガザイバ投与30分前		●																										
内服	2	カロナール	1000 mg	ガザイバ投与30分前		●																										
内服	3	デカドロン	8 mg	1日1(-2)回朝(昼)食後				●	●	●																						
内服	4																															
内服	5																															
内服	6																															
内服	7																															
内服	8																															
内服	9																															
内服	10																															
放射線			Gy																													

特記事項

副作用により減量を行った場合、以降投与量を維持し増量しない
 ガザイバ:0. 2又は0. 22 μmのインラインフィルターを使用すること。

減量規定

薬品名				
標準投与量				
1段階減量				
2段階減量				
3段階減量				